

# Package ‘UniprotR’

March 5, 2024

**Title** Retrieving Information of Proteins from Uniprot

**Version** 2.4.0

**Author** Mohamed Soudy [aut, cre],  
Ali Mostafa [aut]

**Maintainer** Mohamed Soudy <MohmedSoudy2009@gmail.com>

**Description** Connect to Uniprot <<https://www.uniprot.org/>> to retrieve information about proteins using their accession number such information could be name or taxonomy information, For detailed information kindly read the publication <<https://www.sciencedirect.com/science/article/pii/S1874391919303859>>.

**License** GPL-3

**Encoding** UTF-8

**RoxygenNote** 7.2.3

**Imports** utils , grDevices , stats , grid , graphics , httr , plyr ,  
dplyr , scales , magrittr , magick , data.tree , ggplot2 ,  
tidyverse , gridExtra , ggpubr , curl , networkD3 , stringr ,  
qdapRegex , htmlwidgets , alakazam , gprofiler2 , progress , ggsci

**URL** <https://github.com/Proteomicslab57357/UniprotR>

**BugReports** <https://github.com/Proteomicslab57357/UniprotR/issues>

**NeedsCompilation** no

**Repository** CRAN

**Date/Publication** 2024-03-05 15:10:02 UTC

## R topics documented:

ConstructGenesTree . . . . .	3
ConstructLocTree . . . . .	3
ConvertID . . . . .	4
Enrichment.BP . . . . .	5
Enrichment.CC . . . . .	5
Enrichment.KEGG . . . . .	6
Enrichment.MF . . . . .	6

Enrichment.REAC . . . . .	7
Get.diseases . . . . .	7
GetAccessionList . . . . .	8
GetExpression . . . . .	8
GetFamily_Domains . . . . .	9
GetGeneral_Information . . . . .	10
GetMiscellaneous . . . . .	11
GetNamesTaxa . . . . .	11
GetPathology_Biotech . . . . .	12
GetpdbStructure . . . . .	13
GetProteinAnnotate . . . . .	13
GetProteinFunction . . . . .	14
GetProteinGOInfo . . . . .	15
GetProteinInteractions . . . . .	15
GetproteinNetwork . . . . .	16
GetproteinNetwork_all . . . . .	17
GetProteomeFasta . . . . .	17
GetProteomeInfo . . . . .	18
GetPTM_Processing . . . . .	18
GetPublication . . . . .	19
GETSeqFastaUniprot . . . . .	20
GetSeqLength . . . . .	20
GetSequenceIso . . . . .	21
GetSequences . . . . .	22
GetStructureInfo . . . . .	22
GetSubcellular_location . . . . .	23
Goparse . . . . .	24
HandleBadRequests . . . . .	24
Pathway.Enr . . . . .	25
Plot.GOMolecular . . . . .	25
Plot.GOSubCellular . . . . .	26
PlotAcidity . . . . .	26
PlotCharge . . . . .	27
PlotChromosomeInfo . . . . .	27
PlotGenesNetwork . . . . .	28
PlotGOAll . . . . .	28
PlotGOBiological . . . . .	29
PlotGoInfo . . . . .	29
PlotGoterms . . . . .	30
PlotGravy . . . . .	30
PlotPhysicochemical . . . . .	31
PlotproteinExist . . . . .	31
PlotProteinGO_bio . . . . .	32
PlotProteinGO_cel . . . . .	32
PlotProteinGO_molc . . . . .	33
PlotproteinStatus . . . . .	33
PlotProteinTaxa . . . . .	34
ProcessAcc . . . . .	34

---

ConstructGenesTree	<i>Connect and parse UniProt information.</i>
--------------------	---

---

**Description**

This Function is used to plot Genes Tree in the data of the accession/s.

**Usage**

```
ConstructGenesTree(ProteinDataObject,directorypath = NULL)
```

**Arguments**

ProteinDataObject  
input a Dataframe returned from GetNamesTaxa function  
directorypath path to save txt file containig results returened by the function.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

ConstructLocTree	<i>Connect and parse UniProt information.</i>
------------------	---

---

**Description**

This Function is used to plot location's Tree in the data of the accession/s in the chromosomes.

**Usage**

```
ConstructLocTree(ProteinDataObject,directorypath = NULL)
```

**Arguments**

ProteinDataObject  
input a Dataframe returned from GetNamesTaxa function  
directorypath path to save txt file containig results returened by the function.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

`ConvertID`*Connect and parse UniProt database identifiers information.*

---

### Description

The function is work to convert the UniProtKB AC/ID to any database identifiers available by the UniProtKB. For more information about available database identifiers see [https://www.uniprot.org/help/id\\_mapping](https://www.uniprot.org/help/id_mapping). see [https://raw.githubusercontent.com/MohmedSoudy/UniprotR/master/uniprot\\_ids.csv](https://raw.githubusercontent.com/MohmedSoudy/UniprotR/master/uniprot_ids.csv)

### Usage

```
ConvertID(ProteinAccList, ID_from="UniProtKB_AC-ID", ID_to=NULL, taxId=NULL, path=NULL)
```

### Arguments

<code>ProteinAccList</code>	Vector of UniProt Accession/s
<code>ID_from</code>	string of database identifier abbreviation, from which the Accession/ID will be converted
<code>ID_to</code>	string of database identifier abbreviation, to which the Accession/ID will be converted. default is all database identifier available in UniProtKB
<code>taxId</code>	string Needed when the ID_to is 'UniProtKB' that could be '9606' for human.
<code>path</code>	path to save excel file containig results returned by the function.

### Value

DataFrame where column one contains the Accession/ID before conversion and other columns contains the Accession/ID after conversion

### Note

The function also, Creates a csv file with the retrieved information.

### Author(s)

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

Enrichment.BP                      *Connect and parse UniProt information*

---

**Description**

This function is used for Enrichment analysis of biological process of given list of genes or proteins

**Usage**

```
Enrichment.BP(Accs,OS="hsapiens",p_value=0.05,directorypath=NULL,top=10)
```

**Arguments**

Accs	Vector of UniProt Accession/s or genes
OS	organism name Example: human - 'hsapiens', mouse - 'mmusculus'
p_value	custom p-value threshold for significance, default = 0.05
directorypath	Path to save output plot
top	Top N terms to be visualized

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

Enrichment.CC                      *Connect and parse UniProt information*

---

**Description**

This function is used for Enrichment analysis of cellular component of given list of genes or proteins

**Usage**

```
Enrichment.CC(Accs,OS="hsapiens",p_value=0.05,directorypath=NULL,top=10)
```

**Arguments**

Accs	Vector of UniProt Accession/s or genes
OS	organism name Example: human - 'hsapiens', mouse - 'mmusculus'
p_value	custom p-value threshold for significance, default = 0.05
directorypath	Path to save output plot
top	Top N terms to be visualized

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

Enrichment.KEGG      *Connect and parse UniProt information*

---

### Description

This function is used for Enrichment analysis of given list of genes or proteins from KEGG database

### Usage

```
Enrichment.KEGG(Accs,OS="hsapiens",p_value=0.05,directorypath=NULL,top=10)
```

### Arguments

Accs	Vector of UniProt Accession/s or genes
OS	organism name Example: human - 'hsapiens', mouse - 'mmusculus'
p_value	custom p-value threshold for significance, default = 0.05
directorypath	Path to save output plot
top	Top N terms to be visualized

### Author(s)

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

Enrichment.MF      *Connect and parse UniProt information*

---

### Description

This function is used for Enrichment analysis of Molecular function of given list of genes or proteins

### Usage

```
Enrichment.MF(Accs,OS="hsapiens",p_value=0.05,directorypath=NULL,top=10)
```

### Arguments

Accs	Vector of UniProt Accession/s or genes
OS	organism name Example: human - 'hsapiens', mouse - 'mmusculus'
p_value	custom p-value threshold for significance, default = 0.05
directorypath	Path to save output plot
top	Top N terms to be visualized

### Author(s)

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

Enrichment.REAC      *Connect and parse UniProt information*

---

**Description**

This function is used for Enrichment analysis of given list of genes or proteins from REACTOME

**Usage**

```
Enrichment.REAC(Accs,OS="hsapiens",p_value=0.05,directorypath=NULL,top=10)
```

**Arguments**

Accs	Vector of UniProt Accession/s or genes
OS	organism name Example: human - 'hsapiens', mouse - 'mmusculus'
p_value	custom p-value threshold for significance, default = 0.05
directorypath	Path to save output plot
top	Top N terms to be visualized

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

Get.diseases      *Connect and parse UniProt information.*

---

**Description**

This Function is used to get diseases associated with proteins.

**Usage**

```
Get.diseases(Pathology_object , directorypath = NULL)
```

**Arguments**

Pathology_object	Dataframe retrieved from UniprotR Function "GetPathology_Biotech"
directorypath	path to save Output file

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

GetAccessionList      *Connect and parse UniProt information.*

---

**Description**

This function can be used to get a list of UniProt Accession/s from a csv file.

**Usage**

```
GetAccessionList(DataObjPath)
```

**Arguments**

DataObjPath      input path of excel file

**Value**

a vector of UniProt Accession/s

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

GetExpression      *Connect and parse UniProt Expression information.*

---

**Description**

The function is work to retrieve Expression data from UniProt for a list of proteins accessions. For more information about what included in the Expression data see [https://www.uniprot.org/help/return\\_fields](https://www.uniprot.org/help/return_fields).

**Usage**

```
GetExpression(ProteinAcclList , directorypath = NULL)
```

**Arguments**

ProteinAcclList    Vector of UniProt Accession/s  
directorypath      path to save excel file containig results returened by the function.

**Value**

DataFrame where rows names are the accession and columns contains the information retrieved from the UniProt



**Note**

The function also, Creates a csv file with the retrieved information.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

GetFamily\_Domains      *Connect and parse UniProt Family Domains information.*

---

**Description**

The function is work to retrieve Family Domains data from UniProt for a list of proteins accessions. For more information about what included in the Family Domains data see [https://www.uniprot.org/help/return\\_fields](https://www.uniprot.org/help/return_fields).

**Usage**

```
GetFamily_Domains(ProteinAccList , directorypath = NULL)
```

**Arguments**

ProteinAccList    Vector of UniProt Accession/s

directorypath    path to save excel file containig results returned by the function.

**Value**

DataFrame where rows names are the accession and columns contains the information retrieved from the UniProt

**Note**

The function also, Creates a csv file with the retrieved information.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

GetGeneral\_Information

*Connect and parse UniProt General Information.*

---

### **Description**

The function is work to retrieve General Information data from UniProt for a list of proteins accessions. For more information about what included in the General Information data see [https://www.uniprot.org/help/return\\_fields](https://www.uniprot.org/help/return_fields)

### **Usage**

```
GetGeneral_Information(ProteinAccList , directorypath = NULL)
```

### **Arguments**

ProteinAccList Vector of UniProt Accession/s

directorypath path to save excel file containig results returened by the function.

### **Value**

DataFrame where rows names are the accession and columns contains the General Information of protein from the UniProt

### **Note**

The function also, Creates a csv file with the retrieved information.

### **Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

### **Examples**

```
Obj <- GetGeneral_Information("014520")
```

---

GetMiscellaneous	<i>Connect and parse UniProt Miscellaneous information.</i>
------------------	---

---

**Description**

The function is work to retrieve Miscellaneous data from UniProt for a list of proteins accessions. For more information about what included in the Miscellaneous data see [https://www.uniprot.org/help/return\\_fields](https://www.uniprot.org/help/return_fields).

**Usage**

```
GetMiscellaneous(ProteinAccList , directorypath = NULL)
```

**Arguments**

`ProteinAccList` Vector of UniProt Accession/s  
`directorypath` path to save excel file containig results returned by the function.

**Value**

DataFrame where rows names are the accession and columns contains the information retrieved from the UniProt

**Note**

The function also, Creates a csv file with the retrieved information.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

**Examples**

```
Obj <- GetMiscellaneous("014520")
```

---

GetNamesTaxa	<i>Connect and parse UniProt Names Taxa information.</i>
--------------	--

---

**Description**

The function is work to retrieve Names Taxa data from UniProt for a list of proteins accessions. For more information about what included in the NamesTaxa data see [https://www.uniprot.org/help/return\\_fields](https://www.uniprot.org/help/return_fields).

**Usage**

```
GetNamesTaxa(ProteinAccList , directorypath = NULL)
```

**Arguments**

ProteinAccList Vector of UniProt Accession/s  
directorypath path to save excel file containig results returened by the function.

**Value**

DataFrame where rows names are the accession and columns contains the information of protein name & taxonomy from the UniProt

**Note**

The function also, Creates a csv file with the retrieved information.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

**Examples**

```
Obj <- GetNamesTaxa("014520")
```

---

GetPathology\_Biotech *Connect and parse UniProt Pathology\_Biotech information.*

---

**Description**

The function is work to retrieve Pathology\_Biotech data from UniProt for a list of proteins accessions. For more information about what included in the Pathology\_Biotech data see [https://www.uniprot.org/help/return\\_fields](https://www.uniprot.org/help/return_fields)

**Usage**

```
GetPathology_Biotech(ProteinAccList , directorypath = NULL)
```

**Arguments**

ProteinAccList Vector of UniProt Accession/s  
directorypath path to save excel file containig results returened by the function.

**Value**

DataFrame where rows names are the accession and columns contains the information retrieved from the UniProt

**Note**

The function also, Creates a csv file with the retrieved information.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

**Examples**

```
Obj <- GetPathology_Biotech("014520")
```

---

GetpdbStructure      *Connect and parse UniProt information.*

---

**Description**

The function is work to retrieving GetpdbStructure and download it to user directory.

**Usage**

```
GetpdbStructure(ProteinAccList , directorypath = NULL)
```

**Arguments**

ProteinAccList    input a vector of UniProt Accession/s  
directorypath    path to save excel file containig results returened by the function.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

GetProteinAnnotate      *Connect and parse UniProt information.*

---

**Description**

The function is work to retrieve user-defined information data from UniProt for a list of proteins accessions For more information see [https://www.uniprot.org/help/uniprotkb\\_column\\_names](https://www.uniprot.org/help/uniprotkb_column_names)

**Usage**

```
GetProteinAnnotate(ProteinAccList , columns)
```

**Arguments**

ProteinAccList    a vector of UniProt Accession/s  
columns            a vector of UniProtKB column names

**Value**

DataFrame where rows names are the accession and columns contains the information retrieved from the UniProt

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

**Examples**

```
Obj <- GetProteinInteractions("014520")
```

---

GetProteinFunction      *Connect and parse UniProt Protein Function information.*

---

**Description**

The function is work to retrieve Protein Function data from UniProt for a list of proteins accessions. For more information about what included in the Protein Function data see [https://www.uniprot.org/help/return\\_fields](https://www.uniprot.org/help/return_fields).

**Usage**

```
GetProteinFunction(ProteinAcclList , directorypath = NULL)
```

**Arguments**

ProteinAcclList    Vector of UniProt Accession/s  
directorypath    path to save excel file containig results returened by the function.

**Value**

DataFrame where rows names are the accession and columns contains the information of protein function roles from the UniProt

**Note**

The function also, Creates a csv file with the retrieved information.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

**Examples**

```
Obj <- GetProteinFunction("014520")
```

---

GetProteinGOInfo      *Connect and parse UniProt proteins gene ontology information.*

---

**Description**

The function is work to retrieve proteins gene ontology data from UniProt for a list of proteins accessions. For more information about what included in the proteins gene ontology data see [https://www.uniprot.org/help/return\\_fields](https://www.uniprot.org/help/return_fields)

**Usage**

```
GetProteinGOInfo(ProteinAccList , directorypath = NULL)
```

**Arguments**

ProteinAccList    Vector of UniProt Accession/s  
directorypath    path to save excel file containig results returned by the function.

**Value**

DataFrame where rows names are the accession and columns contains the information of Gene ontology of protein from the UniProt

**Note**

The function also, Creates a csv file with the retrieved information.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

**Examples**

```
Obj <- GetProteinGOInfo("014520")
```

---

GetProteinInteractions      *Connect and parse UniProt protein Interactions information.*

---

**Description**

The function is work to retrieve protein Interactions data from UniProt for a list of proteins accessions. For more information about what included in the protein Interactions data see [https://www.uniprot.org/help/return\\_fields](https://www.uniprot.org/help/return_fields)

**Usage**

```
GetProteinInteractions(ProteinAccList , directorypath = NULL)
```

**Arguments**

ProteinAccList Vector of UniProt Accession/s  
directorypath path to save excel file containig results returened by the function.

**Value**

DataFrame where rows names are the accession and columns contains the information of protein Interactions from the UniProt

**Note**

The function also, Creates a csv file with the retrieved information.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

**Examples**

```
Obj <- GetProteinInteractions("ProteinAccession")
```

---

GetproteinNetwork      *Connect and parse stringdb information.*

---

**Description**

This function is connecting to stringdb and retrieve all possible interactions for the searched protein/s.

**Usage**

```
GetproteinNetwork(ProteinAccList , directorypath = NULL)
```

```
GetproteinNetwork(ProteinAccList , directorypath = NULL)
```

**Arguments**

ProteinAccList input a vector of UniProt Accession/s  
directorypath path to save excel file containig results returened by the function.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>



---

GetproteinNetwork\_all *Connect and parse stringdb information.*

---

**Description**

This function is connecting to stringdb and retrieve PPI between input list

**Usage**

```
GetproteinNetwork_all(ProteinAcclist , directorypath = NULL, SpeciesID = 9606)
```

```
GetproteinNetwork_all(ProteinAcclist , directorypath = NULL,SpeciesID = 9606)
```

**Arguments**

ProteinAcclist input a vector of UniProt Accession/s  
directorypath path to save excel file containig results returned by the function.  
SpeciesID Taxonomic id of accession's species ex. homo sapiens 9606

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

GetProteomeFasta *Connect and DOWNLOAD Proteome info.*

---

**Description**

The function is work to retrieve proteome information in FASTA format based on proteome id.

**Usage**

```
GetProteomeFasta(ProteomeID , directorypath = NULL)
```

**Arguments**

ProteomeID Proteome ID from UniProt  
directorypath path to save FASTA file containig results returned by the function.

**Note**

The function Download fasta format of proteome.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

GetProteomeInfo      *Connect and DOWNLOAD Proteome info.*

---

**Description**

The function is work to retrieve proteome information based on proteome id.

**Usage**

```
GetProteomeInfo(ProteomeID , directorypath = NULL)
```

**Arguments**

ProteomeID      Proteome ID from UniProt  
directorypath    path to save CSV file containig results returened by the function.

**Note**

The function Download csv Info of proteome.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

GetPTM\_Processing      *Connect and parse UniProt PTM\_Processsing information.*

---

**Description**

The function is work to retrieve PTM\_Processsing data from UniProt for a list of proteins acces-sions. For more information about what included in the PTM\_Processsing data see [https://www.uniprot.org/help/return\\_fields](https://www.uniprot.org/help/return_fields)

**Usage**

```
GetPTM_Processing(ProteinAccList, directorypath = NULL)
```

**Arguments**

ProteinAccList    Vector of UniProt Accession/s  
directorypath    path to save excel file containig results returened by the function

**Value**

DataFrame where rows names are the accession and columns contains the information retrieved from the UniProt

**Note**

The function also, Creates a csv file with the retrieved information.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

**Examples**

```
Obj <- GetPTM_Processing("014520" )
```

---

GetPublication	<i>Connect and parse UniProt Publication about a protein information.</i>
----------------	---

---

**Description**

The function is work to retrieve Publication data from UniProt for a list of proteins accessions. For more information about what included in the Publication data see [https://www.uniprot.org/help/return\\_fields](https://www.uniprot.org/help/return_fields).

**Usage**

```
GetPublication(ProteinAcclList , directorypath = NULL)
```

**Arguments**

ProteinAcclList Vector of UniProt Accession/s

directorypath path to save excel file containig results returned by the function.

**Value**

DataFrame where rows names are the accession and columns contains the Publication of protein from the UniProt

**Note**

The function also, Creates a csv file with the retrieved information.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

GETSeqFastaUniprot      *Connect and parse UniProt information.*

---

**Description**

This Function is used to get Sequence information of accession/s from Uniprot as a Fasta file.

**Usage**

```
GETSeqFastaUniprot(Accessions,FilePath = NULL, FileName = NULL)
```

**Arguments**

Accessions	Vector of UniProt Accession/s
FilePath	path of directory to save the output fasta.
FileName	Name of the fasta file.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

GetSeqLength      *Connect and parse UniProt Sequences information.*

---

**Description**

The function is work to retrieve Sequence's Length data from Uniparc for a list of proteins accessions. This function was added to overcome the NAs returned when Uniprot database deleted the protein from the database

**Usage**

```
GetSeqLength(ProteinAcclList, directorypath = NULL)
```

**Arguments**

ProteinAcclList	Vector of UniProt Accession/s
directorypath	path to save excel file containig results returened by the function

**Value**

DataFrame where rows names are the accession and columns contains the information retrieved from the UniProt

**Note**

The function also, Creates a csv file with the retrieved information.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

**Examples**

```
Obj <- GetSeqLength("014520")
```

---

GetSequenceIso                      *Connect and parse UniProt Sequences information.*

---

**Description**

The function is work to retrieve protein's Sequence data from Uniparc for a list of proteins accessions. This function was added to handle isoformes

**Usage**

```
GetSequenceIso(ProteinAccList, directorypath = NULL)
```

**Arguments**

ProteinAccList    Vector of UniProt Accession/s  
directorypath    path to save excel file containig results returned by the function

**Value**

DataFrame where rows names are the accession and columns contains the information retrieved from the UniProt

**Note**

The function also, Creates a csv file with the retrieved information.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

**Examples**

```
Obj <- GetSequenceIso("014520")
```

---

GetSequences                      *Connect and parse UniProt Sequences information.*

---

**Description**

The function is work to retrieve Sequences data from UniProt for a list of proteins accessions. For more information about what included in the Sequences data see [https://www.uniprot.org/help/return\\_fields](https://www.uniprot.org/help/return_fields).

**Usage**

```
GetSequences(ProteinAccList, directorypath = NULL)
```

**Arguments**

ProteinAccList    Vector of UniProt Accession/s  
directorypath    path to save excel file containig results returened by the function

**Value**

DataFrame where rows names are the accession and columns contains the information retrieved from the UniProt

**Note**

The function also, Creates a csv file with the retrieved information.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

**Examples**

```
Obj <- GetSequences("014520")
```

---

GetStructureInfo                      *Connect and parse UniProt protein Structure information.*

---

**Description**

The function is work to retrieve Structral data from UniProt for a list of proteins accessions. For more information about what included in the structral data see [https://www.uniprot.org/help/return\\_fields](https://www.uniprot.org/help/return_fields).

**Usage**

```
GetStructureInfo(ProteinAccList, directorypath = NULL)
```

**Arguments**

ProteinAccList Vector of UniProt Accession/s.  
directorypath path to save excel file containig results returened by the function.

**Value**

DataFrame where rows names are the accession and columns contains the Structural information of protein from the UniProt

**Note**

The function also, Creates a csv file with the retrieved information.

---

GetSubcellular\_location

*Connect and parse UniProt protein Subcellular location information.*

---

**Description**

The function is work to retrieve protein Subcellular location data from UniProt for a list of proteins accessions. For more information about what included in the protein Subcellular location data see [https://www.uniprot.org/help/return\\_fields](https://www.uniprot.org/help/return_fields).

**Usage**

```
GetSubcellular_location(ProteinAccList, directorypath = NULL)
```

**Arguments**

ProteinAccList Vector of UniProt Accession/s.  
directorypath path to save excel file containig results returened by the function.

**Value**

DataFrame where rows names are the accession and columns contains the information about Sub-cellular location of protein from the UniProt

**Note**

The function also, Creates a csv file with the retrieved information.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

Goparse	<i>Connect and parse UniProt information.</i>
---------	---

---

**Description**

This Function is used to parse data retrieved from UniprotR Function "GetProteinGOInfo".

**Usage**

```
Goparse(GOobj , index = 3)
```

**Arguments**

GOobj	Dataframe.
index	index of Go term in GoObj

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

HandleBadRequests	<i>Handle bad requests This Function is used to handle possible errors when trying to get url response.</i>
-------------------	---

---

**Description**

Handle bad requests This Function is used to handle possible errors when trying to get url response.

**Usage**

```
HandleBadRequests(RequestCode)
```

**Arguments**

RequestCode	Response returned from url
-------------	----------------------------

**Value**

None

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

**Examples**

```
HandleBadRequests(400)
```



---

Pathway.Enr                      *Connect and parse UniProt information*

---

**Description**

This function is used for Enrichment analysis of given list of genes or proteins

**Usage**

```
Pathway.Enr(Accs,OS="hsapiens",p_value=0.05,directorypath=NULL,top=10)
```

**Arguments**

Accs	Vector of UniProt Accession/s or genes
OS	organism Example: human - 'hsapiens' for more info <a href="https://biit.cs.ut.ee/gprofiler/page/organism-list">https://biit.cs.ut.ee/gprofiler/page/organism-list</a>
p_value	custom p-value threshold for significance, default = 0.05
directorypath	Path to save output plot
top	Top N terms to be visualized

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

Plot.GOMolecular                      *Connect and parse UniProt information.*

---

**Description**

This Function is used to plot Molecular function of proteins.

**Usage**

```
Plot.GOMolecular(GOObj, Top = 10, directorypath = NULL)
```

**Arguments**

GOObj	Dataframe returned from UniprotR Function "GetProteinGOInfo"
Top	Number of molecular functions to be visualized
directorypath	path to save Output plot.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

Plot.GOSubCellular      *Connect and parse UniProt information.*

---

**Description**

This Function is used to plot subcellular localization of proteins.

**Usage**

```
Plot.GOSubCellular(GOObj, Top = 10, directorypath = NULL)
```

**Arguments**

GOObj	Dataframe returned from UniprotR Function "GetProteinGOInfo"
Top	Number of molecular functions to be visualized
directorypath	path to save Output plot.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

PlotAcidity      *Connect and parse UniProt information.*

---

**Description**

This Function is used to plot proteins acidity retrieved from "GetSequences" Function.

**Usage**

```
PlotAcidity(SeqDataObjPath , directorypath = NULL)
```

**Arguments**

SeqDataObjPath	Dataframe retrieved from UniprotR Function "GetSequences"
directorypath	path to save Output plot.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

PlotCharge

*Connect and parse UniProt information.*

---

**Description**

This Function is used to plot proteins charge retrieved from "GetSequences" Function.

**Usage**

```
PlotCharge(SeqDataObjPath , directorypath = NULL)
```

**Arguments**

SeqDataObjPath Dataframe retrieved from UniprotR Function "GetSequences"

directorypath path to save Output plot.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

PlotChromosomeInfo

*Connect and parse UniProt information.*

---

**Description**

This Function is used to plot location's frequency in the data of the accession/s in the chromosomes.

**Usage**

```
PlotChromosomeInfo(ProteinDataObject,directorypath = NULL)
```

**Arguments**

ProteinDataObject

input a Dataframe returned from GetNamesTaxa function

directorypath path to save files returned by the function.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

PlotGenesNetwork      *Connect and parse UniProt information.*

---

**Description**

This Function is used to cluster proteins based on primary genes retrieved from "GetNamesTaxa" Function.

**Usage**

```
PlotGenesNetwork(ProteinDataObject , directorypath = NULL)
```

**Arguments**

ProteinDataObject      Dataframe retrieved from UniprotR Function "GetNamesTaxa"  
 directorypath      path to save Output plot.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

PlotGOAll      *Connect and parse UniProt information.*

---

**Description**

This Function is used to plot the retrieved Gene Ontology from function 'GetProteinGOInfo'.

**Usage**

```
PlotGOAll(GOobj, Top = 10, directorypath = NULL, width = width, height = height)
```

**Arguments**

GOobj      Dataframe returned from UniprotR Function "GetProteinGOInfo"  
 Top      Number of molecular functions to be visualized  
 directorypath      path to save Output plot.  
 width      width of the generated plot  
 height      height of the generated plot

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

PlotGOBiological      *Connect and parse UniProt information.*

---

**Description**

This Function is used to plot Biological process of proteins.

**Usage**

```
PlotGOBiological(GOobj, Top = 10, directorypath = NULL)
```

**Arguments**

GOobj              Dataframe returned from UniprotR Function "GetProteinGOInfo"  
Top                Number of molecular functions to be visualized  
directorypath    path to save Output plot.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

PlotGoInfo              *Connect and parse UniProt information.*

---

**Description**

This Function is used to plot data retrieved from UniprotR Function "GetProteinGOInfo".

**Usage**

```
PlotGoInfo(GOobj , directorypath = NULL)
```

**Arguments**

GOobj              Dataframe retrieved from UniprotR Function "GetProteinGOInfo".  
directorypath    path to save excel file containig results returned by the function ( default = NA ).

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

PlotGoterms

*Connect and parse UniProt information.*

---

**Description**

This Function is used to plot data retrieved from UniprotR Function "GetProteinGOInfo".

**Usage**

```
PlotGoterms(GOObj , directorypath = NULL)
```

**Arguments**

GOObj            Dataframe.

directorypath   path to save plot returned by function ( default = NA ).

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

PlotGravy

*Connect and parse UniProt information.*

---

**Description**

This Function is used to plot proteins gravity index retrieved from "GetSequences" Function.

**Usage**

```
PlotGravy(SeqDataObjPath , directorypath = NULL)
```

**Arguments**

SeqDataObjPath   Dataframe retrieved from UniprotR Function "GetSequences"

directorypath   path to save Output plot.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

PlotPhysicochemical      *Connect and parse UniProt information.*

---

**Description**

This function can be used to get a list of UniProt Accession/s from a csv file.

**Usage**

```
PlotPhysicochemical(SeqDataObjPath , directorypath = NULL)
```

**Arguments**

SeqDataObjPath    Dataframe returned from GetSequence function.

directorypath    Path to save Physicochemical properties plot.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

PlotproteinExist      *Connect and parse UniProt information.*

---

**Description**

This Function is used to plot protein status in the data of the accession/s.

**Usage**

```
PlotproteinExist(ProteinDataObject,directorypath = NULL)
```

**Arguments**

ProteinDataObject

input a Dataframe returned from GetMiscellaneous function

directorypath    path to save files returned by the function.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

PlotProteinGO\_bio      *Connect and parse UniProt information.*

---

**Description**

This Function is used to plot biological process data retrieved from UniprotR Function "GetProteinGOInfo".

**Usage**

```
PlotProteinGO_bio(GO_df , dir_path = NA)
```

**Arguments**

GO\_df                  Dataframe.  
dir\_path                path to save files returned by the function ( default = NA ).

**Note**

if no dir\_path was given ( default = NA ) the function will only view the plot and will not save it

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

PlotProteinGO\_cel      *Connect and parse UniProt information.*

---

**Description**

This Function is used to plot cellular components data retrieved from UniprotR Function "GetProteinGOInfo".

**Usage**

```
PlotProteinGO_cel(GO_df , dir_path = NA)
```

**Arguments**

GO\_df                  Dataframe.  
dir\_path                path to save files returned by the function ( default = NA ).

**Note**

if no dir\_path was given ( default = NA ) the function will only view the plot and Will not save it



**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

PlotProteinGO\_molc      *Connect and parse UniProt information.*

---

**Description**

This Function is used to plot molecular functions data retrieved from UniprotR Function "GetProteinGOInfo".

**Usage**

```
PlotProteinGO_molc(GO_df , dir_path = NA)
```

**Arguments**

GO_df	Dataframe.
dir_path	path to save files returned by the function ( default = NA ).

**Note**

if no dir\_path was given ( default = NA ) the function will only view the plot and will not save it

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

PlotproteinStatus      *Connect and parse UniProt information.*

---

**Description**

This Function is used to plot protein status in the data of the accession/s.

**Usage**

```
PlotproteinStatus (ProteinDataObject,directorypath = NULL)
```

**Arguments**

ProteinDataObject	input a Dataframe returned from GetMiscellaneous function
directorypath	path to save files returned by the function.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

PlotProteinTaxa      *Connect and parse UniProt information.*

---

**Description**

This Function is used to plot different taxas found of the accessions.

**Usage**

```
PlotProteinTaxa(ProteinDataObject , directorypath = NULL)
```

**Arguments**

ProteinDataObject      input a Dataframe of proteins as rownames.  
directorypath      path to save files returned by the function.

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

---

ProcessAcc      *Connect and parse UniProt information.*

---

**Description**

This Function is used to check validity of input accessions the data of the accession/s.

**Usage**

```
ProcessAcc(Accessions)
```

**Arguments**

Accessions      accession list returned from GetAccession function

**Author(s)**

Mohmed Soudy <Mohamed.soudy@57357.com> and Ali Mostafa <ali.mo.anwar@std.agr.cu.edu.eg>

# Index

ConstructGenesTree, [3](#)  
ConstructLocTree, [3](#)  
ConvertID, [4](#)

Enrichment.BP, [5](#)  
Enrichment.CC, [5](#)  
Enrichment.KEGG, [6](#)  
Enrichment.MF, [6](#)  
Enrichment.REAC, [7](#)

Get.diseases, [7](#)  
GetAccessionList, [8](#)  
GetExpression, [8](#)  
GetFamily\_Domains, [9](#)  
GetGeneral\_Information, [10](#)  
GetMiscellaneous, [11](#)  
GetNamesTaxa, [11](#)  
GetPathology\_Biotech, [12](#)  
GetpdbStructure, [13](#)  
GetProteinAnnotate, [13](#)  
GetProteinFunction, [14](#)  
GetProteinGOInfo, [15](#)  
GetProteinInteractions, [15](#)  
GetproteinNetwork, [16](#)  
GetproteinNetwork\_all, [17](#)  
GetProteomeFasta, [17](#)  
GetProteomeInfo, [18](#)  
GetPTM\_Processing, [18](#)  
GetPublication, [19](#)  
GETSeqFastaUniprot, [20](#)  
GetSeqLength, [20](#)  
GetSequenceIso, [21](#)  
GetSequences, [22](#)  
GetStructureInfo, [22](#)  
GetSubcellular\_location, [23](#)  
Goparse, [24](#)

HandleBadRequests, [24](#)

Pathway.Enr, [25](#)

Plot.GOMolecular, [25](#)  
Plot.GOSubCellular, [26](#)  
PlotAcidity, [26](#)  
PlotCharge, [27](#)  
PlotChromosomeInfo, [27](#)  
PlotGenesNetwork, [28](#)  
PlotGOAll, [28](#)  
PlotGOBiological, [29](#)  
PlotGoInfo, [29](#)  
PlotGoterms, [30](#)  
PlotGravy, [30](#)  
PlotPhysicochemical, [31](#)  
PlotproteinExist, [31](#)  
PlotProteinGO\_bio, [32](#)  
PlotProteinGO\_cel, [32](#)  
PlotProteinGO\_molc, [33](#)  
PlotproteinStatus, [33](#)  
PlotProteinTaxa, [34](#)  
ProcessAcc, [34](#)